colour ring used had not faded, nor was it damaged or worn in any way. The stainless steel ring was also in perfect condition - this after 68 morths wear.

This bird had been previously retrapped on 23rd December 1973 and again on 31st March 1974 but there have been very few sight records.

REQUEST FOR INFORMATION

I am collecting weight data on the Sunbirds (<u>Nectariniidae</u>) occuring in southern Africa and would appreciate any information in this respect. All that is needed is the mass, sex, age, month in which the bird was weighed, (or better still, the exact date) and the locality. Any further relevant information like the state of moult would also be appreciated. Please send the information to: R.A. Earlé, Department of Zoology, University of Natal. Pietermanitzourg 3200.

RING SIZES FOR STARRED AND NATAL ROBINS

Mr W J Pike P C Box 453 White River TRANSVAAL 1240

The size ring suitable for the Stanned Tabir <u>Pogonocichla</u> stellata and the Natal Robir <u>Acesypha natalersis</u> is not mentioned in my Ringing Manual. I stanted by using a 3.0mm ring on both these birds but found them too large and have since used the 2.3mm which is a nice fit. The Green Twin Spots <u>Hypargos</u> <u>nitidulus</u> should I think have a 1.8mm which I have not got so am using a 2.3mm with overlap. I might mention that I was supplied these rings in 1970.